

## REFERENCES

- Adalier, K. (1996). "Mitigation of Earthquake-Induced Liquefaction Hazards." Ph.D. Thesis, Rensselaer Polytechnic Institute, Troy, NY.
- Andrus, R.D. and Stokoe, K.H. (1997). "Liquefaction Resistance Based on Shear Wave Velocity." *Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils*, Technical Report NCEER-97-0022, edited by T.L. Youd and I.M. Idriss, pp. 89-128.
- ASCE Soil Improvement and Geosynthetics Committee, Ground Improvement Subcommittee (1997). "Soil Improvement and Geosynthetics Committee Report," *Ground Improvement, Ground Reinforcement and Ground Treatment, Developments 1987-1997*, Geotechnical Special Publication No. 69, Proceedings of the sessions sponsored by the Committee on Soil Improvement and Geosynthetics of the Geo-Institute of ASCE in conjunction with Geo-Logan '97, Logan, Utah, July 1997, V.R. Schaefer, ed., ASCE, pp. 1-371.
- ASTM D 4221-90. "Test Method for Dispersive Characteristics of Clay by Double Hydrometer." *1992 Annual Book of ASTM Standards*, American Society of Testing and Materials, Philadelphia, PA, 1992.
- ASTM D 4647-87. "Test Method for Identification and Classification of Dispersive Clay Soils by the Pinhole Method." *1992 Annual Book of ASTM Standards*, American Society of Testing and Materials, Philadelphia, PA, 1992.
- Baez, J.I. (1995). "A Design Model for the Reduction of Soil Liquefaction by Vibro-Stone Columns." Ph.D. Dissertation, University of Southern California, Los Angeles, CA, 207 p.
- Baez, J.I. and Martin, G.R. (1995). "Permeability and Shear Wave Velocity of Vibro-Replacement Stone Columns." *Soil Improvement for Earthquake Hazard Mitigation*, Geotechnical Special Publication No. 49, ASCE, pp. 66-81.
- Barksdale and Bachus (1983), see FHWA (1983).
- Bartlett, S. F. and Youd, T. L. (1995). "Empirical prediction of liquefaction-induced lateral spread." *Journal of Geotechnical Engineering*, ASCE, 121(4): 316-329.
- Basma, A.A. and Tuncer, E.R. (1992). "Evaluation and Control of Collapsible Soils." *Journal of Geotechnical Engineering*, ASCE, 118(10): 1491-1504.
- Baziar, M.H., Dobry, R. and Elgamel, A-W.M. (1995). "Engineering Evaluation of Permanent Ground Deformations Due to Seismically-Induced Liquefaction." *Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils*, Technical Report NCEER-92-0007, National Center for Earthquake Engineering Research, Buffalo, NY.

Boulanger, R.W. and Hayden, R.F. (1995). "Aspects of Compaction Grouting of Liquefiable Soils." *Journal of Geotechnical Engineering*, ASCE, 121(12): 844-855.

Boulanger, R.W., Idriss, I.M., Stewart, D.P., Hashash, Y. and Schmidt, B. (1998). "Drainage Capacity of Stone Columns or Gravel Drains for Mitigating Liquefaction." *Geotechnical Earthquake Engineering and Soil Dynamics III, Geotechnical Special Publication No. 75*, Proceedings of a Specialty Conference, Seattle, Washington, ASCE, Volume 1, pp. 678-690.

Bruce, D.A. (1991). "Recent Progress in American Pinpile Technology." *Grouting, Soil Improvement and Geosynthetics, Geotechnical Special Publication No. 30*, ASCE, Vol. 2, pp. 765-777.

Burke, G.K. and Welsh, J.P. (1991). "Jet Grout Uses for Soil Improvement." *Geotechnical Engineering Congress*, Geotechnical Special Publication No. 27, ASCE, Vol. 1, pp. 334-345.

Clemence, S.P. and Finbarr, A.M. (1981). "Design Considerations for Collapsible Soils." *Journal of the Geotechnical Engineering Division*, ASCE 107(GT3): 305-317.

Committee on the Safety of Existing Dams (1983). *Safety of Existing Dams: Evaluation and Improvement*, National Academy Press, Washington, DC.

Department of the Army, Office of the Chief of Engineers (1970). *Stability of Earth and Rockfill Dams*, EM 1110-2-1902, Washington DC.

Department of the Army, Office of the Chief of Engineers (1978). *Design and Construction of Levees*, EM 1110-2-1913, Washington DC.

Department of the Army, Office of the Chief of Engineers (1983). *Dredging and Dredged Material Disposal*, EM 1110-2-5025, Washington DC.

Department of the Army, Office of the Chief of Engineers (1984). *Geotechnical Investigations*, EM 1110-1-1804, Washington DC.

Department of the Army, Office of the Chief of Engineers (1986). *Seepage Analysis and Control for Dams*, EM 1110-2-1901, Washington DC.

Department of the Army, Office of the Chief of Engineers (1995). *Planning and Design of Navigation Locks*, EM 1110-2-2602, Washington DC.

Department of the Army, Office of the Chief of Engineers (1996). *Soil Sampling*, EM 1110-1-1906, Washington DC.

Department of the Army, Office of the Chief of Engineers (1997). *Hydrologic Engineering Requirements for Reservoirs*, EM 1110-2-1420, Washington DC.

Dobry, R., Oweis, I. and Urzua, A. (1976). "Simplified Procedures for Estimating the Fundamental Period of a Soil Profile." *Bulletin of the Seismological Society of America*, 66(4): 1293-1321.

Duncan, J.M., Horz, R.C. and Yang, T.L. (1989). *Shear Strength Correlations for Geotechnical Engineering*, Virginia Tech Department of Civil Engineering, Blacksbur, VA, 100 p.

EERC (1995). "Geotechnical Reconnaissance of the Effects of the January 17, 1995, Hyogoken-Nambu Earthquake Japan." N. Sitar, ed., Earthquake Engineering Research Center, University of California, Berkeley, Report UBC/EERC-95/01, July.

Elias et al. (1998), see FHWA(1998).

Felio, G.Y., Vucetic, M., Hudson, M., Barar, O. and Chapman, R. (1990). "Performance of Soil Nailed Walls During the October 17, 1989 Loma Prieta Earthquake." *Proceedings, Forty-third Canadian Geotechnical Conference*, Quebec, pp. 165-173.

FHWA (1983). *Design and Construction of Stone Columns*. Volume 1, Report No. 1, FHWA/RD 83/026, Federal Highway Administration, Barksdale, R.D. and Bachus, R.C., 210 p.

FHWA (1986a). *Dynamic Compaction for Highway Construction, Volume 1: Design and Construction Guidelines*. U.S. Department of Transportation, Federal Highway Administration, Research, Development and Technology, Report No. FHWA/RD-86/133, Lukas, R.G.

FHWA (1986b). *Geocomposite Drains*. U.S. Department of Transportation, Federal Highway Administration, Research, Development and Technology, Volume 1: Engineering Assessment and Preliminary Guidelines, Report No. FHWA/RD-86/171.

FHWA (1986c). *Prefabricated Vertical Drains*. U.S. Department of Transportation, Federal Highway Administration, Research, Development and Technology Volume 1, Engineering Guidelines. Report No. FHWA/RD-86/168.

FHWA (1996a). *Drilled and Grouted Micropiles: State-of-Practice Review*, Final Report. Publication Nos. FHWA-RD-96-016, FHWA-RD-96-017, FHWA-RD-96-018, FHWA-RD-96-019, 530 p.

FHWA (1996b). *Manual for Design and Construction Monitoring of Soil Nail Walls*. FHWA Demonstration Project 103, Publication No. FHWA-SA0-96-069, Golder Associates, Inc.

FHWA (1996c). *Soil Nailing Field Inspector's Manual*. Publication No. FHWA-SA0-96-069.

FHWA (1998). *Ground Improvement Technical Summaries, Final Draft*, FHWA Demonstration Project No. 116, Contract No. DTFH61-93-R-00145, Elias, V., Welsh, J., Warren J. and Lukas R.

Gazetas, G. (1982). "Shear Vibrations of Vertically Inhomogeneous Earth Dams." *International Journal for Numerical and Analytical Methods in Geomechanics*, 6(1): 219-241 (as cited in Kramer, 1996).

Gibbs, H.J. and Bara, J.P. (1967). "Stability Problems of Collapsible Soils." *Journal of the Soil Mechanics and Foundations Division*, ASCE, 93(SM4): 577-594.

Golder Associates (1996), see FHWA(1996b).

Graf, E.D. (1992a). "Compaction Grout, 1992." *Grouting, Soil Improvement and Geosynthetics, Geotechnical Special Publication No. 30*, ASCE, Vol. 1, pp. 275-287.

Graf, E.D. (1992b). "Earthquake Support Grouting in Sands." *Grouting, Soil Improvement and Geosynthetics, Geotechnical Special Publication No. 30*, ASCE, Vol. 2, pp. 879-888.

Gray, D.H. and Sotir, R. (1996). *Biotechnical and Soil Bioengineering Slope Stabilization*. John Wiley & Sons, New York, NY.

Hausmann, M.R. (1990). *Engineering Principles of Ground Modification*, McGraw-Hill, USA, 632 p.

Hayden, R.F. and Baez, J.I. (1994). "State of Practice for Liquefaction Mitigation in North America." *Proceedings of the 4<sup>th</sup> U.S.-Japan Workshop on Soil Liquefaction, Remedial Treatment of Potentially Liquefiable Soils*, PWRI, Tsukuba City, Japan, July 4-6 (as cited in ASCE, 1997).

Hayward Baker (1996). *Ground Modification Seminar Notes*. Hayward Baker, Odenton, MD.

Houston, W.H. and Houston, S.L. (1989). "State-of-the-Practice Mitigation Measures for Collapsible Soil Sites." *Foundation Engineering: Current Principles and Practices*, proceedings of the conference, edited by F.H. Kulhawy, ASCE, Vol. 1, pp. 161-175.

Hynes-Griffin, M.E. and Franklin, A.G. (1984). "Rationalizing the Seismic Coefficient Method." *Miscellaneous Paper GL-84-13*, U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, MI, 21 p. (as cited in Kramer, 1996).

Idriss, I.M. (1990). "Response of Soft Soil Sites During Earthquakes." *Proceedings, H. Bolton Seed Memorial Symposium*, University of California, Berkeley, J.M. Duncan, ed., Bi-Tech Publishers, Vancouver, BC, Vol. 2, pp. 273-289.

- Idriss, I.M. (1998). "Evaluation of Liquefaction Potential, Consequences and Mitigation, An Update." Vancouver Geotechnical Society Meeting, February 17, 1998, Vancouver, BC.
- Ishihara, K. (1985). "Stability of Natural Deposits During Earthquakes." *Proceedings, 11<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, San Francisco, Vol. 1, pp. 321-376.
- Ishihara, K. (1993). "Liquefaction and Flow Failure During Earthquakes." *Geotechnique*, 43(3): 351-415.
- Ishihara, K. and Yoshimine, M. (1992). "Evaluation of Settlements in Sand Deposits Following Liquefaction During Earthquakes." *Soils and Foundations*, 32(1): 173-188.
- Ishihara, K., Kokusho, T., Yasuda, S., Goto, Y., Yoshida, N., Hatanaka, M., and Ito, K. (1998). "Dynamic Properties of Masado Fill in Kobe Port Island Improved through Soil Compaction Method: Suumary of Final Report by Geotechnical Research Collaboration Committee on the Hanshin-Awaji Earthquake." Geotechnical Research Collaboration Committee on the Hanshin-Awaji Earthquake, September, 1998.
- Japanese Geotechnical Society (1996). *Soils and Foundations: Special Edition on Hyogoken-Nambu Earthquake*, 359 p.
- Japanese Geotechnical Society (1998). *Soils and Foundations: Special Edition on Hyogoken-Nambu Earthquake*.
- Karol, R.H. (1990). *Chemical Grouting*, Marcel Dekker, Inc., New York, NY, 465 p.
- Kramer, S.L. (1996). *Geotechnical Earthquake Engineering*, Prentice-Hall, Inc., Upper Saddle River, NJ, 653 p.
- Kulhawy, F.H. and Mayne, P.W. (1990). *Manual on Estimating Soil Properties for Foundation Design*, EL-6800, Research Project 1493-6, Electric Power Research Institute, Palo Alto, CA.
- Ledbetter, R.H. (1985). "Improvement of Liquefiable Foundation Conditions Beneath Existing Structures." Technical Report REMR-GT-2, Dept. of the Army.
- Lizzi, F. (1983). The 'reticolo di pali radice' (reticulated root piles) for the improvement of soil resistance. Physical aspects and design approaches. *Eighth European Conference on Soil Mechanics and Foundation Engineering*, Balkema, Helsinki, 8(2): 521-524.
- Luehring, R. (1997). "Salmon Lake Dam Stone Column Test Section," *Technical Memorandum No. OZ-8312-6*, U.S. Dept. of the Interior, Bureau of Reclamation, Denver, CO.
- Lukas (1986), see FHWA(1986a).

- Makdisi, F.I. and Seed, H.B. (1978). "Simplified Procedure for Estimating Dam and Embankment Earthquake-Induced Deformations." *Journal of the Geotechnical Engineering Division*, ASCE, 104(GT7): 849-888.
- Marcuson, W.F., III (1981). "Moderator's Report for Session on 'Earth Dams and Stability of Slopes Under Dynamic Loads'." *Proceedings, International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, St. Louis, MO, Vol. 3, p. 1175 (as cited in Kramer, 1996).
- Marcuson, W.F., III and Hynes, M.E. (1989). "Stability of Slopes and Embankments During Earthquakes." *Proceedings, ASCE/Pennsylvania Department of Transportation Geotechnical Seminar*, Hershey, PA (as cited in Kramer, 1996).
- Marcuson, W.F. III, Hadala, P.F. and Ledbetter, R.H. (1993). "Seismic Rehabilitation of Earth Dams." *Geotechnical Practice in Dam Rehabilitation*, Geotechnical Special Publication No. 35, Proceedings of the Specialty Conference, Raleigh, North Carolina, Loren Anderson, ed., ASCE, pp. 430-466.
- Mayne, P.W., Mitchell, J.K., Auxt, J.A., and Yilmaz, R. (1995). "U.S. National Report on CPT." *CPT '95, Proceedings of the International Symposium on Cone Penetration Testing*, Linkoping, Sweden, October, 1995.
- McLean, F.G. and Hansen, K.D. (1993). "Use of Roller Compacted Concrete for Embankment Overtopping Protection." *Geotechnical Practice in Dam Rehabilitation, Geotechnical Special Publication No. 35*, Proceedings of the Specialty Conference, Raleigh, North Carolina, Loren Anderson, ed., ASCE, pp. 188-209.
- Mitchell, J.K. (1976). "Stabilization of Soils for Foundation of Structures." Department of Civil Engineering, University of California, Berkeley.
- Mitchell, J.K. (1981). "Soil Improvement: State-of-the-Art." State-of-the-Art Report, Session 12, *10<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Stockholm, Sweden.
- Mitchell, J.K. (1993). *Fundamentals of Soil Behavior*, John Wiley & Sons, Inc., New York, NY, 2<sup>nd</sup> edition, 437 p.
- Mitchell, J.K. and Christopher, B.R. (1990). "North American Practice in Reinforced Soil Systems." *Proceedings of a Conference, Design and Performance of Earth Retaining Structures*, June 1990, ASCE Geotechnical Special Publication No. 25, pp. 322-246.
- Mitchell, J.K. and Cooke, H.G. (1995). "Assessment and Mitigation of Liquefaction Risk for Existing Bridge Foundations." *Proceedings of the National Seismic Conference on Bridges and Highways*, San Diego, CA.

Mitchell, J.K., Baxter, C.D.P., and Munson, T.C. (1995). "Performance of Improved Ground During Earthquakes." *Soil Improvement for Earthquake Hazard Mitigation*, Geotechnical Special Publication No. 49, ASCE, pp. 1-36.

Mitchell, J.K., Cooke, H.G., and Schaeffer, J.A. (1998). "Design Considerations in Ground Improvement for Seismic Risk Mitigation." *Geotechnical Earthquake Engineering and Soil Dynamics III*, Geotechnical Special Publication No. 75, ASCE, Vol. 1, pp. 580-613.

Naesgaard, E., Byrne, P.M., Ven Huizen, G. (1998). "Behaviour of Light Structures Founded on Soil 'Crust' Over Liquefied Ground." *Geotechnical Earthquake Engineering and Soil Dynamics III*, Geotechnical Special Publication No. 75, edited by P. Dakoulas, M. Yegian, and R.D. Holtz, ASCE, Vol. 1, pp. 422-433.

Narin van Court, W.A. and Mitchell, J.K. (1994). "Soil Improvement by Blasting." *Journal of Explosives Engineering*, Vol. 12, No. 3, pp.34-41, Nov./Dec. 1994.

Narin van Court, W.A. and Mitchell, J.K. (1995). "Soil Improvement by Blasting: Part II." *Journal of Explosives Engineering*, Vol. 12, No. 4, pp. 26-34, Jan./Feb. 1995.

NAVFAC (1982). *Soil Mechanics, NAVFAC Design Manual 7.1*, Department of the Navy, Naval Facilities Engineering Command, Alexandria, Virginia.

NCEER (1997), *Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils*, Technical Report NCEER-97-0022, edited by T.L. Youd and I.M. Idriss, National Center for Earthquake Engineering Research, Buffalo, NY.

Newmark, N.M. (1965). "Effects of Earthquakes on Dams and Embankments." *Geotechnique*, 15(2): 139-160.

Onoue, A. (1988). "Diagrams Considering Well Resistance for Designing Spacing Ratio of Gravel Drains." *Soils and Foundations*, 29(4): 135-136.

Portland Cement Association (1992). *RCC Newsletter*, Fall/Winter 1992, Skokie, IL.

Portland Cement Association (1997). *RCC Newsletter*, Spring/Summer 1997, Skokie, IL.

Robertson, P. K. and Campanella, R. G. (1983a). "Interpretation of Cone Penetration Tests. Part I: Sand." *Canadian Geotechnical Journal*, 20(4): 718-733.

Robertson, P. K. and Campanella, R. G. (1983b). "Interpretation of Cone Penetration Tests. Part II: Clay." *Canadian Geotechnical Journal*, 20(4): 734-745.

*Roller Compacted Concrete II* (1988), Proceedings of the Conference sponsored by the Construction, Geotechnical Engineering, and Materials Engineering Divisions of ASCE, San Diego, California, Feb./Mar. 1988, K.D. Hansen and L.K. Guice, eds., ASCE.

*Roller Compacted Concrete III* (1992), Proceedings of the Conference sponsored by the Construction, Geotechnical Engineering, and Materials Engineering Divisions of ASCE, San Diego, California, February 1992, K.D. Hansen and F.G. McLean, eds., ASCE.

Seed, H.B. (1979a). "Considerations in the Earthquake-Resistant Design of Earth and Rock-fill Dams." 19<sup>th</sup> Rankine Lecture of the British Geotechnical Society, *Geotechnique*, 29(3): 215-263.

Seed, H.B. (1979b). "Soil Liquefaction and Cyclic Mobility Evaluation for Level Ground During Earthquakes." *Journal of the Geotechnical Engineering Division*, ASCE, 105(GT2): 201-255.

Seed, H.B. and Booker, J.R. (1977). "Stabilization of Potentially Liquefiable Sand Deposits Using Gravel Drains." *Journal of the Geotechnical Engineering Division*, ASCE, 103(GT7), 757-768.

Seed, R.B. and Harder, L.F. (1990). "SPT-based Analysis of Cyclic Pore Pressure Generation and Undrained Residual Strength." *Proceedings, H. Bolton Seed Memorial Symposium*, University of California, Berkeley, J.M. Duncan, ed., Bi-Tech Publishers, Vancouver, BC, Vol. 2, pp. 351-376.

Seed, H.B., Tokimatsu, K., Harder, L.F. and Chung, R.M. (1984). *The Influence of SPT Procedures on Soil Liquefaction Resistance Evaluations*. Report No. UCB/EERC-84/15, Earthquake Engineering Research Center, University of California, Berkeley, October.

Sherard, J.L., Dunnigan, L.P. and Decker, R.S. (1976). "Identification and Nature of Dispersive Soils, *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 102, No. GT-4, pp. 287-301.

Taki, O. and Yang, D. S. (1991). Soil-cement mixed wall technique. *Geotechnical Engineering Congress 1991*, Geotechnical Special Publication No. 27, ASCE, Vol. 1, pp. 298-309.

Terzaghi, K. (1950). "Mechanisms of Landslides." *Engineering Geology (Berkey) Volume*, Geological Society of America (as cited in Kramer, 1996).

Terzaghi, K., Peck, R.B., and Mesri, G. (1995). *Soil Mechanics in Engineering Practice*, John Wiley & Sons, New York, NY, 3<sup>rd</sup> edition, 549 p.

Tokimatsu, K. and Seed, H.B. (1987). "Evaluation of Settlements in Sand Due to Earthquake Shaking." *Journal of Geotechnical Engineering*, ASCE, 113(8): 861-878.

USDA Soil Conservation Service (1992). "Soil Bioengineering for Upland Slope Protection and Erosion Reduction." Chapter 18, Part 650, 210-EFH, *Field Handbook*, 53 p. (as cited in ASCE, 1997).



- U.S. Department of the Interior, Bureau of Reclamation (1987). *Design of Small Dams*.
- Vucetic, M. and Dobry, R. (1991). "Effect of Soil Plasticity on Cyclic Response." *Journal of Geotechnical Engineering*, ASCE, 117(1): 89-107.
- Walkinshaw, J.L. and Chassie, R.J. (1994). "Implementation of Soil-Nailing Technologies in the United States." TR News 172. Transportation Research Board, Washington, DC.
- Walz, A.H., Jr. (1993). "Inspections, Evaluations and Modifications for Corps of Engineers Dams." *Geotechnical Practice in Dam Rehabilitation, Geotechnical Special Publication No. 35*, Proceedings of the Specialty Conference, Raleigh, North Carolina, ASCE, pp. 35-42.
- Warner, J., Schmidt, N., Reed, J. Shepardson, D., Lamb, R. and Wong, S. (1992). "Recent Advances in Compaction Grouting." *Grouting, Soil Improvement and Geosynthetics, Geotechnical Special Publication No. 30*, ASCE, Vol. 1, pp. 252-264.
- Wray, W.K., ed. (1995). *So Your Home Is Built on Expansive Soils: A Discussion of How Expansive Soils Affect Buildings*. Shallow Foundation Committee of the Geotechnical Division of ASCE, 59 p.
- Xanthakos, P.P., Abramson, L.W. and Bruce, D.A. (1994). *Ground Control and Improvement*, John Wiley & Sons, New York, NY, 910 p.
- Yasuda, S., Ishihara, K., Harada, K., Shinkawa, N. (1996). "Effectiveness of the Ground Improvement on the Susceptibility of Liquefaction Observed During the 1995 Hyogo-ken Nambu (Kobe) Earthquake." *World Conference on Earthquake Engineering*, Mexico.
- Youd, T.L. and Garris, C.T. (1995). "Liquefaction-Induced Ground-Surface Disruption." *Journal of Geotechnical Engineering*, Technical Note, ASCE, 121(11): 805-809.
- Youd, T.L. and Gummow, G.A. (1995). *Screening Guide for Rapid Assessment of Liquefaction Hazard to Highway Bridges*. Draft, NCEER Project No. 106, 1995.